

## 2000 Author Index Vol. 162–171

- Accaino, F., see Tinivella, U. 164 (2000) 13
- Ackermans, D., see Maia, M. 167 (2000) 61
- Agrawal, Y. C. and H. C. Pottsmith, Instruments for particle size and settling velocity observations in sediment transport 168 (2000) 89
- Aitchison, J. C., see Davis, A. M. 171 (2000) 1
- Algan, O., see Çağatay, M. N. 167 (2000) 191
- Allen, J.R.L., Late Flandrian (Holocene) tidal palaeochannels, Gwent Levels (Severn Estuary), SW Britain: character, evolution and relation to shore 162 (2000) 353
- Aller, R.C., see Allison, M.A. 163 (2000) 241
- Allison, M.A., M.T. Lee, A.S. Ogston and R.C. Aller, Origin of Amazon mudbanks along the northeastern coast of South America 163 (2000) 241
- Alpar, B., see Yaltrak, C. 167 (2000) 189
- am Ende, B. A., see Paull, C. K. 166 (2000) 83
- Amos, C.L., see Sutherland, T.F. 162 (2000) 587
- Anderson, J. B., see Bart, P. J. 166 (2000) 31
- Andreasen, G.H. and M.L. Delaney, Lithologic controls on calcite recrystallization in Cenozoic deep-sea sediments 163 (2000) 109
- Angulo, R. J., see Lessa, G. C. 165 (2000) 87
- Anthony, E. J., see Levoy, F. 171 (2000) 39
- Araújo, A. D., see Lessa, G. C. 165 (2000) 87
- Auffret, G. A., see Zaragosi, S. 169 (2000) 207
- Austin Jr., J. A., see Schuur Duncan, C. 170 (2000) 395
- Austin, W. E. N. and J. R. Evans, Benthic foraminifera and sediment grain size variability at intermediate water depths in the Northeast Atlantic during the late Pliocene–early Pleistocene 170 (2000) 423
- Auzende, J.-M., S. Van de Beuque, M. Régner, Y. Lafoy and P. Symonds, Origin of the New Caledonian ophiolites based on a French–Australian Seismic Transect 162 (2000) 225
- Baas, J. H. and J. L. Best, Ripple formation induced by biogenic mounds—comment 168 (2000) 145
- Bahk, J.J., S.K. Chough and Si. Han, Origins and paleoceanographic significance of laminated muds from the Ulleung Basin, East Sea (Sea of Japan) 162 (2000) 459
- Baker, R. G. V., see Davis, A. M. 171 (2000) 1
- Baker, R.G.V. and R.I. Haworth, Smooth or oscillating late Holocene sea-level curve? Evidence from cross-regional statistical regressions of fixed biological indicators 163 (2000) 353
- Baker, R.G.V. and R.J. Haworth, Smooth or oscillating late Holocene sea-level curve? Evidence from the palaeo-zoology of fixed biological indicators in east Australia and beyond 163 (2000) 367

- Ballard, R. D., D. F. Coleman and G. D. Rosenberg, Further evidence of abrupt Holocene drowning of the Black Sea shelf 170 (2000) 253
- Banakar, V.K. and J.R. Hem, Growth response of a deep-water ferromanganese crust to evolution of the Neogene Indian Ocean 162 (2000) 529
- Banerjee, P. K., Holocene and Late Pleistocene relative sea level fluctuations along the east coast of India 167 (2000) 243
- Barnes, P.M., see Lewis, KB. 162 (1999) 39
- Barnett, A., see McSaveney, M. J. 170 (2000) 81
- Bart, P. J., J. B. Anderson, F. Trincardi and S. S. Shipp, Seismic data from the Northern basin, Ross Sea, record extreme expansions of the East Antarctic Ice Sheet during the late Neogene 166 (2000) 31
- Barusseau, J.-P., see Giresse, P. 170 (2000) 123
- Batiza, R., see Maicher, D. 171 (2000) 75
- Baumann, K.-H., see Huber, R. 165 (2000) 123
- Bell, R.G., see Green, MO. 163 (2000) 217
- Belperio, A. P., see Bourman, R. P. 170 (2000) 141
- Benavente, J., F. J. Gracia and F. López-Aguayo, Empirical model of morphodynamic beachface behaviour for low-energy mesotidal environments 167 (2000) 375
- Ben-Avraham, Z., see Niemi, T.M. 162 (2000) 237
- Best, J. L., see Baas, J. H. 168 (2000) 145
- Bevis, M., see Dail, H.J. 162 (2000) 443
- Bianchi, G. G. and I. N. McCave, Hydrography and sedimentation under the deep western boundary current on Björn and Gardar Drifts, Iceland Basin 165 (2000) 137
- Black, K.P. and J.W. Oldman, Wave mechanisms responsible for grain sorting and non-uniform ripple distribution across two moderate-energy, sandy continental shelves 162 (1999) 121
- Bock, M.J. and L.M. Mayer, Mesodensity organo—clay associations in a near-shore sediment 163 (2000) 65
- Bøe, R., M. Hovland, A. Instanes, L. Rise and S. Vasshus, Submarine slide scars and mass movements in Karmsundet and Skudeneshfjorden, southwestern Norway: morphology and evolution 167 (2000) 147
- Borja, F., see Dabrio, C.J. 162 (2000) 381
- Boski, T., see Dias, J. M. A. 170 (2000) 177
- Boucsein, B. and R. Stein, Particulate organic matter in surface sediments of the Laptev Sea (Arctic Ocean): application of maceral analysis as organic-carbon-source indicator 162 (2000) 573
- Bourcier, M., see Morhange, C. 170 (2000) 205
- Bouriak, S., M. Vanneste and A. Saoutkine, Inferred gas hydrates and clay diapirs near the Storegga Slide on the southern edge of the Vøring Plateau, offshore Norway 163 (2000) 125
- Bourman, R. P., C. V. Murray-Wallace, A. P. Belperio and N. Harvey, Rapid coastal geomorphic change in the River Murray Estuary of Australia 170 (2000) 141
- Brack, K., R. L. Stevens and M. Paetzel, Holocene environmental change and the accumulation—erosion balance of sheltered river-mouth sediments, Göteborg, SW Sweden 170 (2000) 347
- Brander, R. W. and A. D. Short, Morphodynamics of a large-scale rip current system at Muriwai Beach, New Zealand 165 (2000) 27
- Brown, L., see Thomson, J. 169 (2000) 21
- Brüchert, V., M.E. Pérez and C.B. Lange, Coupled primary production, benthic foraminiferal assemblage, and sulfur diagenesis in organic-rich sediments of the Benguela upwelling system 163 (2000) 27
- Brumsack, H.-J., see Prakash Babu, C. 162 (1999) 91
- Brun-Cottan, J. C., S. Guillou and Z. H. Li, Behaviour of a puff of resuspended sediment: a conceptual model 167 (2000) 355
- Brunsdon, D., see Dawson, A. G. 170 (2000) 59
- Buffett, B. A. and O. Y. Zatsepina, Formation of gas hydrate from dissolved gas in natural porous media 164 (2000) 69

- Bujalesky, G. G., see Isla, F. I. 170 (2000) 105
- Bull, C. F. J., see Jago, C. F. 169 (2000) 273
- Burger, H., see Kuhn, T. 169 (2000) 391
- Butler, E.R.T., Process environments on modern and raised beaches in McMurdo Sound, Antarctica 162 (1999) 105
- Butman, C. A., see Fries, J. S. 168 (2000) 153
- Butt, F. A., A. Elverhøi, A. Solheim and C. F. Forsberg, Deciphering Late Cenozoic development of the western Svalbard Margin from ODP Site 986 results 169 (2000) 373
- Çağatay, M. N., N. Görür, O. Algan, C. Eastoe, A. Tchapylya, D. Ongan, T. Kuhn and I. Kuşcu, Late Glacial–Holocene palaeoceanography of the Sea of Marmara: timing of connections with the Mediterranean and the Black Seas 167 (2000) 191
- Cal, Y., see Chen, Z. 162 (2000) 423
- Capobianco, M., see Larson, M. 163 (2000) 275
- Carbonel, P., see Morhange, C. 170 (2000) 205
- Castradori, D., see Kuhn, T. 169 (2000) 391
- Causse, C., see Giresse, P. 170 (2000) 123
- Chagué-Goff, C., S. L. Nichol, A. V. Jenkinson and H. Heijnis, Signatures of natural catastrophic events and anthropogenic impact in an estuarine environment, New Zealand 167 (2000) 285
- Chapman, N. R., see Ganguly, N. 164 (2000) 53
- Chaudhry, M. H., see Salaheldin, T. M. 171 (2000) 21
- Cheesman, S., see Evans, R. L. 170 (2000) 381
- Chen, C.-H., see Song, S.-R. 167 (2000) 303
- Chen, Z., B. Song, Z. Wang and Y. Cai, Late Quaternary evolution of the sub-aqueous Yangtze Delta, China: sedimentation, stratigraphy, palynology, and deformation 162 (2000) 423
- Choi, K. S. and Y. A. Park, Late Pleistocene silty tidal rhythmites in the macrotidal flat between Youngjong and Yongyou Islands, west coast of Korea 167 (2000) 231
- Chough, S.K., see Bahk, J.J. 162 (2000) 459
- Christiansen, C., see Emeis, K.-C. 167 (2000) 43
- Chyan, J.-M., see Liu, J. T. 165 (2000) 63
- Cleveringa, J., see Prins, M. A. 169 (2000) 327
- Cochonat, P., see Klaucke, I. 162 (2000) 405
- Cochran, U., see Goff, J. R. 170 (2000) 231
- Coleman, D. F., see Ballard, R. D. 170 (2000) 253
- Collins, M. B., see Voulgaris, G. 167 (2000) 167
- Collins, P. E. F., see Cundy, A. B. 170 (2000) 3
- Cook, G. T., see Thomson, J. 169 (2000) 21
- Cooper, J. A. G., see Wright, C. I. 167 (2000) 207
- Cortijo, E., see Zaragosi, S. 169 (2000) 207
- Courtney, R.C., see Todd, B.J. 162 (1999) 165
- Cramp, A., see Prins, M. A. 169 (2000) 327
- Cronan, D.S., see Daesslé, L.W. 162 (2000) 479
- Croudace, I., see Dominey-Howes, D. 163 (2000) 303
- Croudace, I. W., see Cundy, A. B. 170 (2000) 3
- Cundy, A., see Dominey-Howes, D. 163 (2000) 303
- Cundy, A. B., S. Kortekaas, T. Dewez, I. S. Stewart, P. E. F. Collins, I. W. Croudace, H. Maroukian, D. Papanastassiou, P. Gaki-Papanastassiou, K. Pavlopoulos and A. Dawson, Coastal wetlands as recorders of earthquake subsidence in the Aegean: a case study of the 1894 Gulf of Atalantiearthquakes, central Greece 170 (2000) 3
- Cunningham, A.P., see Nitsche, F.O. 162 (2000) 277



- Dabno, C.J., C. Zazo, J.L. Goy, F.J. Sierro, F. Borja, J. Lario, J.A. Gonzalez and J.A. Flores, Depositional history of estuarine infill during the last postglacial transgression (Gulf of Cadiz, Southern Spain) 162 (2000) 381
- Daessldé, L.W., D.S. Cronan, V. Marchig and M. Wiedicke, Hydrothermal sedimentation adjacent to the propagating Valu Fa Ridge, Lau Basin, SW Pacific 162 (2000) 479
- Dali, H.J., M.A. Merrifield and M. Bevis, Steep beach morphology changes due to energetic wave forcing 162 (2000) 443
- Darby, D. J., see McSaveney, M. J. 170 (2000) 81
- Davidson-Arnott, R. G. D. and D. R. J. Langham, The effects of softening on nearshore erosion of a cohesive shoreline 166 (2000) 145
- Davidson, M. A., see Kingston, K. S. 169 (2000) 137
- Davidson, M. A., see Ruessink, B. G. 169 (2000) 161
- Davis, A. M., J. C. Aitchison, P. G. Flood, B. S. Morton, R. G. V. Baker and R. J. Haworth, Late Holocene higher sea-level indicators from the South China coast 171 (2000) 1
- Dawson, A. G., R. M. W. Musson, I. D. L. Foster and D. Brunsden, Abnormal historic sea-surface fluctuations, SW England 170 (2000) 59
- Dawson, A., see Cundy, A. B. 170 (2000) 3
- Dawson, S. and D. E. Smith, The sedimentology of Middle Holocene tsunami facies in northern Sutherland, Scotland, UK 170 (2000) 69
- De Lange, G. J., see Schenau, S. J. 169 (2000) 1
- De Lange, G.J., see Nijenhuis, I.A. 163 (2000) 41
- De Resseguier, A., A new type of horizontal in-situ water and fluid mud sampler 163 (2000) 409
- Dehghani, G. A., see Maia, M. 167 (2000) 61
- Delaney, M.L., see Andreasen, G.H. 163 (2000) 109
- Delaney, M.L., see Hampt Andreasen, G. 169 (2000) 185
- Demirbağ, E., see Kurt, H. 165 (2000) 13
- De Vernal, A., see Devillers, R. 166 (2000) 103
- Devillers, R. and A. de Vernal, Distribution of dinoflagellate cysts in surface sediments of the northern North Atlantic in relation to nutrient content and productivity in surface waters 166 (2000) 103
- Dewez, T., see Cundy, A. B. 170 (2000) 3
- Deyhle, A., see Kopf, A. 167 (2000) 1
- Dias, J. M. A., T. Boski, A. Rodrigues and F. Magalhães, Coast line evolution in Portugal since the Last Glacial Maximum until present — a synthesis 170 (2000) 177
- Dickinson, W. W., see Goff, J. R. 170 (2000) 231
- Dillon, W. P., see Taylor, M. H. 164 (2000) 79
- Dimakis, P., A. Elverhøi, K. Høeg, A. Solheim, C. Harbitz, J.S. Laberg, T.O. Vorren and J. Marr, Submarine slope stability on high-latitude glaciated Svalbard—Barents Sea margin 162 (2000) 303
- Dinu, C., see Winguth, C. 167 (2000) 127
- Diouf, B., see Giresse, P. 170 (2000) 123
- Doh, S.-J., see Park, C.-K. 171 (2000) 115
- Dolphin, T.J., see Green, M.O. 163 (2000) 217
- Dominey-Howes, D., A. Cundy and I. Croudace, High energy marine flood deposits on Astypalaea Island, Greece: possible evidence for the AD 1956 southern Aegean tsunami 163 (2000) 303
- Doucette, J. S., The distribution of nearshore bedforms and effects on sand suspension on low-energy, micro-tidal beaches in Southwestern Australia 165 (2000) 41
- Dowdeswell, J. A., see Taylor, J. 166 (2000) 1
- Dowdeswell, J. A., see Taylor, J. 168 (2000) 1
- Dowdeswell, J.A., see Laberg, J.S. 162 (2000) 259
- Downing, J., see Sutherland, T.F. 162 (2000) 587
- Drolia, R. K., I. Ghose, A. S. Subramanyam, M. M. Malleswara Rao, P. Kessarkar and K. S. R. Murthy, Magnetic and bathymetric investigations over the Vema Region of the Central Indian Ridge: tectonic implications 167 (2000) 413

- Eastoe, C., see Çağatay, M. N. 167 (2000) 191
- Edwards, R. J. and B. P. Horton, Reconstructing relative sea-level change using UK salt-marsh foraminifera 169 (2000) 41
- Eliot, I., see Sanderson, P.G. 162 (1999) 145
- Elliott, S., see McSaveney, M. J. 170 (2000) 81
- Elverhøi, A., see Butt, F. A. 169 (2000) 373
- Elverhøi, A., see Dimakis, P. 162 (2000) 303
- Emeis, K.-C., U. Struck, T. Leipe, F. Pollehne, H. Kunzendorf and C. Christiansen, Changes in the C, N, P burial rates in some Baltic Sea sediments over the last 150 years—relevance to P regeneration rates and the phosphorus cycle 167 (2000) 43
- Evans, J. R., see Austin, W. E. N. 170 (2000) 423
- Evans, R. L., L. K. Law, B. St. Louis and S. Cheesman, Buried paleo-channels on the New Jersey continental margin: channel porosity structures from electromagnetic surveying 170 (2000) 381
- Evin, J., see Stiros, S. C. 170 (2000) 41
- Fader, G.B.J., see Todd, B.J. 162 (1999) 165
- Fagel, N., see Innocent, C. 168 (2000) 79
- Faugères, J.-C., see Zaragosi, S. 169 (2000) 207
- Faugères, J.-C., D.A.V. Stow, P. Imbert and A. Viana, Seismic features diagnostic of contourite drifts 162 (1999) 1
- Field, M. E., see Storlazzi, C. D. 170 (2000) 289
- Figge, K., see Zeiler, M. 170 (2000) 363
- Flood, P. G., see Davis, A. M. 171 (2000) 1
- Flores, J.A., see Dabrio, C.J. 162 (2000) 381
- Forsberg, C. F., see Butt, F. A. 169 (2000) 373
- Foster, I. D. L., see Dawson, A. G. 170 (2000) 59
- Fries, J. S., C. A. Butman and R. A. Wheatcroft, Ripple formation induced by biogenic mounds—reply 168 (2000) 153
- Fulthorpe, C. S., see Schuur Duncan, C. 170 (2000) 395
- Gaki-Papanastassiou, P., see Cundy, A. B. 170 (2000) 3
- Gangadhara Rao, T., see Thakur, N.K. 162 (2000) 599
- Ganguly, N., G. D. Spence, N. R. Chapman and R. D. Hyndman, Heat flow variations from bottom simulating reflectors on the Cascadia margin 164 (2000) 53
- Gardner, L.R., see Patchineelam, S.M. 162 (1999) 133
- Garlan, T., see Zaragosi, S. 169 (2000) 207
- Gasparotto, G., E. Spadafora, V. Summa and F. Tateo, Contribution of grain size and compositional data from the Bengal Fan sediment to the understanding of Toba volcanic event 162 (2000) 561
- Geist, E. L., see Öztürk, H. 170 (2000) 263
- Gente, P., see Maia, M. 167 (2000) 61
- Georgescu, P., see Winguth, C. 167 (2000) 127
- Ghose, I., see Drolia, R. K. 167 (2000) 413
- Giannini, P. C., see Lessa, G. C. 165 (2000) 87
- Giordano, F., see Milia, A. 171 (2000) 61
- Giresse, P., J.-P. Barusseau, C. Causse and B. Diouf, Successions of sea-level changes during the Pleistocene in Mauritania and Senegal distinguished by sedimentary facies study and U/Th dating 170 (2000) 123
- Goff, J. A., see Schuur Duncan, C. 170 (2000) 395
- Goff, J. R., H. L. Rouse, S. L. Jones, B. W. Hayward, U. Cochran, W. McLea, W. W.

- Dickinson and M. S. Morley, Evidence for an earthquake and tsunami about 3100-3400 yr ago, and other catastrophic saltwater inundations recorded in a coastal lagoon, New Zealand 170 (2000) 231
- Goff, J. R., see McSaveney, M. J. 170 (2000) 81
- Gohi, K., see Nitsche, F.O. 162 (2000) 277
- Goiran, J.-P., see Morhange, C. 170 (2000) 205
- Goldsmith, P., see McSaveney, M. J. 170 (2000) 81
- Gonzalez, J.A., see Dabrio, C.J. 162 (2000) 381
- Gopala Rao, D., see Krishna, K.S. 162 (2000) 215
- Görür, N., see Çağatay, M. N. 167 (2000) 191
- Goy, J.L., see Dabrio, C.J. 162 (2000) 381
- Gracia, F. J., see Benavente, J. 167 (2000) 375
- Grant, J., see Hatcher, A. 168 (2000) 115
- Green, M.O., R.G. Bell, T.J. Dolphin and A. Swales, Silt and sand transport in a deep tidal channel of a large estuary (Manukau Harbour, New Zealand) 163 (2000) 217
- Grupe, B., see Weber, M.E. 163 (2000) 169
- Guillou, S., see Brun-Cottan, J. C. 167 (2000) 355
- Halbach, P., see Kuhn, T. 169 (2000) 391
- Hampt Andreasen, G. and M. L. Delaney, Bulk calcite size fraction distribution and Sr/Ca composition for deep-sea sediments at selected age horizons 169 (2000) 185
- Han, H.-S., see Park, S.-C. 170 (2000) 271
- Han, S.J., see Bahk, J.J. 162 (2000) 459
- Hanson, H., see Larson, M. 163 (2000) 275
- Harbitz, C., see Dimakis, P. 162 (2000) 303
- Harris, P. T., Ripple cross-laminated sediments on the East Antarctic Shelf: evidence for episodic bottom water production during the Holocene? 170 (2000) 317
- Hartnady, C.J.H., see Niemi, T.M. 162 (2000) 237
- Harvey, N., see Bourman, R. P. 170 (2000) 141
- Hassler, U., see Mauz, B. 170 (2000) 187
- Hatcher, A., P. Hill, J. Grant and P. Macpherson, Spectral optical backscatter of sand in suspension: effects of particle size, composition and colour 168 (2000) 115
- Haworth, R.J., see Baker, R.G.V. 163 (2000) 353
- Haworth, R.J., see Baker, R.G.V. 163 (2000) 367
- Haworth, R. J., see Davis, A. M. 171 (2000) 1
- Hayward, B. W., see Goff, J. R. 170 (2000) 231
- Hebbeln, D., see Klump, J. 169 (2000) 259
- Heggie, D. T., see Veeh, H. H. 166 (2000) 11
- Heijnis, H., see Chagué-Goff, C. 167 (2000) 285
- Hékinian, R., see Maia, M. 167 (2000) 61
- Hem, J.R., see Banakar, V.K. 162 (2000) 529
- Hem, J.R., see Jeong, K.S. 162 (2000) 541
- Hennings, I., B. Lurin, C. Vernemmen and U. Vanhessche, On the behaviour of tidal current directions due to the presence of submarine sand waves 169 (2000) 57
- Henrich, R., see Huber, R. 165 (2000) 123
- Herut, B., see Sandler, A. 167 (2000) 339
- Hill, P., see Hatcher, A. 168 (2000) 115
- Hillaire-Marcel, C., see Innocent, C. 168 (2000) 79
- Hobbs, R. W., see Sain, K. 164 (2000) 3
- Høeg, K., see Dimakis, P. 162 (2000) 303
- Holman, R. A., see Konicki, K. M. 169 (2000) 69
- Hopley, D., see Woodroffe, C. D. 170 (2000) 331



- Horton, B. P., see Edwards, R. J. 169 (2000) 41  
 Hovland, M., see Bøe, R. 167 (2000) 147  
 Hsu, R. T., see Liu, J. T. 165 (2000) 63  
 Huang, J.-S., see Liu, J. T. 165 (2000) 63  
 Huber, R., H. Meggers, K.-H. Baumann and R. Henrich, Recent and Pleistocene carbonate dissolution in sediments of the Norwegian-Greenland Sea 165 (2000) 123  
 Huguen, C., see Woodside, J. 165 (2000) 1  
 Hyndman, R. D., see Ganguly, N. 164 (2000) 53
- Iizuka, Y., see Song, S.-R. 167 (2000) 303  
 Imbert, P., see Faugères, J.-C. 162 (1999) 1  
 Imran, J., see Salaheldin, T. M. 171 (2000) 21  
 Innocent, C., N. Fagel and C. Hillaire-Marcel, Sm-Nd isotope systematics in deep-sea sediments: clay-size versus coarser fractions 168 (2000) 79  
 Inoue, A., Two-dimensional variations of exchangeable cation composition in the terrigenous sediment, eastern flank of the Juan de Fuca Ridge 162 (2000) 501  
 Instanes, A., see Bøe, R. 167 (2000) 147  
 Isern, A.R., see Müller, R.D. 162 (2000) 337  
 Isla, F. I. and G. G. Bujalesky, Cannibalisation of Holocene gravel beach-ridge plains, northern Tierra del Fuego, Argentina 170 (2000) 105
- Jago, C. F. and C. F. J. Bull, Quantification of errors in transmissometer-derived concentration of suspended particulate matter in the coastal zone: implications for flux determinations 169 (2000) 273  
 Jenkinson, A. V., see Chagué-Goff, C. 167 (2000) 285  
 Jeong, K.S., H.S. Jung, J.K. Kang, C.L. Morgan and J.R. Hem, Formation of ferromanganese crusts on northwest intertropical Pacific seamounts: electron photomicrography and microprobe chemistry 162 (2000) 541  
 Jokat, W., see Rogenhagen, J. 168 (2000) 45  
 Jones, S. L., see Goff, J. R. 170 (2000) 231  
 Jorissen, F.J., see Seidenkrantz, M.-S. 163 (2000) 387  
 Jung, H.S., see Jeong, K.S. 162 (2000) 541
- Kang, J.K., see Jeong, K.S. 162 (2000) 541  
 Kaul, N., A. Rosenberger and H. Villinger, Comparison of measured and BSR-derived heat flow values, Makran accretionary prism, Pakistan 164 (2000) 37  
 Kennedy, D. M. and C. D. Woodroffe, Holocene lagoonal sedimentation at the latitudinal limits of reef growth, Lord Howe Island, Tasman Sea 169 (2000) 287  
 Kennedy, D. M., see Woodroffe, C. D. 170 (2000) 331  
 Kenyon, N.H., see Laberg, J.S. 162 (2000) 259  
 Kenyon, N. H., see Prins, M. A. 169 (2000) 327  
 Kenyon, N. H., see Taylor, J. 166 (2000) 1  
 Kenyon, N. H., see Taylor, J. 168 (2000) 1  
 Kershaw, S., see Rust, D. 167 (2000) 105  
 Kessarkar, P., see Drolia, R. K. 167 (2000) 413  
 Khanna, R., see Thakur, N.K. 162 (2000) 599  
 Khim, B.-K. and B.-K. Park, Recent change of hydrographic features in the Cheju Strait (southeastern Yellow Sea), Korea: contrast between planktonic and benthic foraminifera isotope composition 169 (2000) 411  
 Kim, D.-C., see Park, S.-C. 170 (2000) 271  
 Kim, K.-H., see Park, C.-K. 171 (2000) 115  
 Kimura, R., see Nakada, M. 167 (2000) 85

- Kingston, K. S., B. G. Ruessink, I. M. J. van Enckevort and M. A. Davidson, Artificial neural network correction of remotely sensed sandbar location 169 (2000) 137
- Kingston, K. S., see Ruessink, B. G. 169 (2000) 161
- Kjerfve, B., see Patchineelam, S.M. 162 (1999) 133
- Klaucke, I., B. Savoye and P. Cochonat, Patterns and processes of sediment dispersal on the continental slope off Nice, SE France 162 (2000) 405
- Kleiber, H. P., J. Knies and F. Niessen, The Late Weichselian glaciation of the Franz Victoria Trough, northern Barents Sea: ice sheet extent and timing 168 (2000) 25
- Klump, J., D. Hebbeln and G. Wefer, The impact of sediment provenance on barium-based productivity estimates 169 (2000) 259
- Knies, J., N. Nowaczyk, C. Müller, C. Vogt and R. Stein, A multiproxy approach to reconstruct the environmental changes along the Eurasian continental margin over the last 150 000 years 163 (2000) 317
- Knies, J., see Kleiber, H. P. 168 (2000) 25
- Konicki, K. M. and R. A. Holman, The statistics and kinematics of transverse sand bars on an open coast 169 (2000) 69
- Kopf, A., A. Deyhle and E. Zuleger, Evidence for deep fluid circulation and gas hydrate dissociation using boron and boron isotopes of pore fluids in forearc sediments from Costa Rica (ODP Leg 170) 167 (2000) 1
- Kopf, A., A. H. F. Robertson and N. Volkmann, Origin of mud breccia from the Mediterranean Ridge accretionary complex based on evidence of the maturity of organic matter and related petrographic and regional tectonic evidence 166 (2000) 65
- Koral, H., see Öztürk, H. 170 (2000) 263
- Kortekaas, S., see Cundy, A. B. 170 (2000) 3
- Kotilainen, A. T., T. Saarinen and B. Winterhalter, High-resolution paleomagnetic dating of sediments deposited in the central Baltic Sea during the last 3000 years 166 (2000) 51
- Kouwenhoven, T.J., see Seidenkrantz, M.-S. 163 (2000) 387
- Krishna, K.S. and D. Gopala Rao, Abandoned Paleocene spreading center in the northeastern Indian Ocean: evidence from magnetic and seismic reflection data 162 (2000) 215
- Kristoffersen, Y., B. Winterhalter and A. Solheim, Shelf progradation on a glaciated continental margin, Queen Maud Land, Antarctica 165 (2000) 109
- Krugliakov, V. V., see Winguth, C. 167 (2000) 127
- Kuhn, T., H. Burger, D. Castradori and P. Halbach, Volcanic and hydrothermal history of ridge segments near the Rodrigues Triple Junction (Central Indian Ocean) deduced from sediment geochemistry 169 (2000) 391
- Kuhn, T., see Çağatay, M. N. 167 (2000) 191
- Kunzendorf, H., see Emeis, K.-C. 167 (2000) 43
- Kurt, H., E. Demirbağ and İ. Kuşçu, Active submarine tectonism and formation of the Gulf of Saros, Northeast Aegean Sea, inferred from multi-channel seismic reflection data 165 (2000) 13
- Kuşçu, İ., see Çağatay, M. N. 167 (2000) 191
- Kuşçu, İ., see Kurt, H. 165 (2000) 13
- Laberg, J. S. and T. O. Vorren, The Trænadjupet Slide, offshore Norway — morphology, evacuation and triggering mechanisms 171 (2000) 95
- Laberg, J.S., T.O. Vorren, J.A. Dowdeswell, N.H. Kenyon and J. Taylor, The Andøya Slide and the Andøya Canyon, north-eastern Norwegian—Greenland Sea 162 (2000) 259
- Laberg, J.S., see Dimakis, P. 162 (2000) 303
- Laborel-Deguen, F., see Stiros, S. C. 170 (2000) 41
- Laborel, J., see Stiros, S. C. 170 (2000) 41
- Lafay, Y., see Auzende, J.-M. 162 (2000) 225
- Lane, P.M., see Sutherland, T.F. 162 (2000) 587
- Lange, C.B., see Brüchert, V. 163 (2000) 27



- Langham, D. R. J., see Davidson-Arnott, R. G. D. 166 (2000) 145
  - Lario, J., see Dabno, C.J. 162 (2000) 381
  - Larson, M., M. Capobianco and H. Hanson, Relationship between beach profiles and waves at Duck, North Carolina, determined by canonical correlation analysis 163 (2000) 275
  - Larsonneur, C., see Levoy, F. 171 (2000) 39
  - Larter, R.D., see Nitsche, F.O. 162 (2000) 277
  - Law, L. K., see Evans, R. L. 170 (2000) 381
  - Le Campion, J., see Morhange, C. 170 (2000) 205
  - Lee, G.-H., see Park, S.-C. 170 (2000) 271
  - Lee, H.-H., see Park, S.-C. 170 (2000) 271
  - Lee, M.-Y., see Song, S.-R. 167 (2000) 303
  - Lee, M.T., see Allison, M.A. 163 (2000) 241
  - Leipe, T., see Emeis, K.-C. 167 (2000) 43
  - Lepland, A., O. Sæther and T. Thorsnes, Accumulation of barium in recent Skagerrak sediments: sources and distribution controls 163 (2000) 13
  - Lessa, G. C., R. J. Angulo, P. C. Giannini and A. D. Araújo, Stratigraphy and Holocene evolution of a regressive barrier in south Brazil 165 (2000) 87
  - Levoy, F., E. J. Anthony, O. Monfort and C. Larsonneur, The morphodynamics of megatidal beaches in Normandy, France 171 (2000) 39
  - Lewis, K.B. and P.M. Barnes, Kaikoura Canyon, New Zealand: active conduit from near-shore sediment zones to trench-axis channel 162 (1999) 39
  - Li, B., H.-I. Yoon and B.-K. Park, Foraminiferal assemblages and CaCO<sub>3</sub> dissolution since the last deglaciation in the Maxwell Bay, King George Island, Antarctica 169 (2000) 239
  - Li, G., K. Zhuang and H. Wei, Sedimentation in the Yellow River delta. Part III. Seabed erosion and diapirism in the abandoned subaqueous delta lobe 168 (2000) 129
  - Li, Z. H., see Brun-Cottan, J. C. 167 (2000) 355
  - Lim, V.S.L., see Müller, R.D. 162 (2000) 337
  - Liu, J. T., J.-S. Huang, R. T. Hsu and J.-M. Chyan, The coastal depositional system of a small mountainous river: a perspective from grain-size distributions 165 (2000) 63
  - López-Aguayo, F., see Benavente, J. 167 (2000) 375
  - Lurin, B., see Hennings, I. 169 (2000) 57
  - Lykousis, V., see Perissoratis, C. 167 (2000) 391
- 
- Ma, C.-P., see Song, G.-S. 169 (2000) 305
  - MacKenzie, A. B., see Thomson, J. 169 (2000) 21
  - Macpherson, P., see Hatcher, A. 168 (2000) 115
  - Maemoku, H., see Nakada, M. 167 (2000) 85
  - Magalhães, F., see Dias, J. M. A. 170 (2000) 177
  - Maia, M., D. Ackermann, G. A. Dehghani, P. Gente, R. Hékinian, D. Naar, J. O'Connor, K. Perrot, J. Phipps Morgan, G. Ramillien, S. Révillon, A. Sabetian, D. Sandwell and P. Stoffers, The Pacific-Antarctic Ridge-Foundation hotspot interaction: a case study of a ridge approaching a hotspot 167 (2000) 61
  - Maicher, D., J. D. L. White and R. Batiza, Sheet hyaloclastite: density-current deposits of quench and bubble-burst fragments from thin, glassy sheet lava flows, Seamount Six, Eastern Pacific Ocean 171 (2000) 75
  - Malleswara Rao, M. M., see Drolia, R. K. 167 (2000) 413
  - Marchig, V., see Daesslé, L.W. 162 (2000) 479
  - Marchig, V., see Weber, M.E. 163 (2000) 169
  - Maroukian, H., see Cundy, A. B. 170 (2000) 3
  - Marr, J., see Dimakis, P. 162 (2000) 303
  - Masclé, J., see Woodside, J. 165 (2000) 1

- Masselink, G. and C. Pattiaratchi, Tidal asymmetry in sediment resuspension on a macrotidal beach in northwestern Australia 163 (2000) 257
- Masson, D.G., see Wynn, R.B. 163 (2000) 185
- Mastronuzzi, G. and P. Sansò, Boulders transport by catastrophic waves along the Ionian coast of Apulia (southern Italy) 170 (2000) 93
- Mauz, B. and U. Hassler, Luminescence chronology of Late Pleistocene raised beaches in southern Italy: new data of relative sea-level changes 170 (2000) 187
- Mayer, L.M., see Bock, M.J. 163 (2000) 65
- McAdoo, B. G., L. F. Pratson and D. L. Orange, Submarine landslide geomorphology, US continental slope 169 (2000) 103
- McCave, I. N., see Bianchi, G. G. 165 (2000) 137
- McCorkle, D. C., see Veeh, H. H. 166 (2000) 11
- McGee, T. M., A single-channel seismic reflection method for quantifying lateral variations in BSR reflectivity 164 (2000) 29
- McHugh, C.M.G. and W.B.F. Ryan, Sedimentary features associated with channel overbank flow: examples from the Monterey Fan 163 (2000) 199
- McLea, W., see Goff, J. R. 170 (2000) 231
- McSaveney, M. J., J. R. Goff, D. J. Darby, P. Goldsmith, A. Barnett, S. Elliott and M. Nongkas, The 17 July 1998 tsunami, Papua New Guinea: evidence and initial interpretation 170 (2000) 81
- Meggers, H., see Huber, R. 165 (2000) 123
- Merrifield, M.A., see Dail, H.J. 162 (2000) 443
- Mienert, J., see Taylor, J. 168 (2000) 1
- Mikkelsen, O. A. and M. Pejrup, In situ particle size spectra and density of particle aggregates in a dredging plume 170 (2000) 443
- Milia, A., M. M. Torrente and F. Giordano, Active deformation and volcanism offshore Campi Flegrei, Italy: new data from high-resolution seismic reflection profiles 171 (2000) 61
- Milkov, A. V., Worldwide distribution of submarine mud volcanoes and associated gas hydrates 167 (2000) 29
- Miller, W. R., see Wright, C. I. 167 (2000) 207
- Minshull, T. A., see Sain, K. 164 (2000) 3
- Miura, H., see Nakada, M. 167 (2000) 85
- Monfort, O., see Levoy, F. 171 (2000) 39
- Morgan, C.L., see Jeong, K.S. 162 (2000) 541
- Morhange, C., J.-P. Goiran, M. Bourcier, P. Carbonel, J. Le Campion, J.-M. Rouchy and M. Yon, Recent Holocene paleo-environmental evolution and coastline changes of Kition, Larnaca, Cyprus, Mediterranean Sea 170 (2000) 205
- Moriwaki, K., see Nakada, M. 167 (2000) 85
- Morley, M. S., see Goff, J. R. 170 (2000) 231
- Morton, B. S., see Davis, A. M. 171 (2000) 1
- Morton, R. A., G. H. Ward and W. A. White, Rates of sediment supply and sea-level rise in a large coastal lagoon 167 (2000) 261
- Müller, C., see Knies, J. 163 (2000) 317
- Müller, R.D., V.S.L. Lim and A.R. Isern, Late Tertiary tectonic subsidence on the northeast Australian passive margin: response to dynamic topography? 162 (2000) 337
- Murray-Wallace, C. V., see Bourman, R. P. 170 (2000) 141
- Murthy, K. S. R., see Drolia, R. K. 167 (2000) 413
- Musson, R. M. W., see Dawson, A. G. 170 (2000) 59
- Naar, D., see Maia, M. 167 (2000) 61
- Nakada, M., R. Kimura, J. Okuno, K. Moriwaki, H. Miura and H. Maemoku, Late Pleistocene and Holocene melting history of the Antarctic ice sheet derived from sea-level variations 167 (2000) 85

- Neumann, A. C., see Paull, C. K. 166 (2000) 83
- Nichol, S. L., see Chagué-Goff, C. 167 (2000) 285
- Niemi, T.M., Z. Ben-Avraham, C.J.H. Hartnady and M. Reznikov, Post-Eocene seismic stratigraphy of the deep ocean basin adjacent to the southeast African continental margin: a record of geostrophic bottom current systems 162 (2000) 237
- Niessen, F., see Kleiber, H. P. 168 (2000) 25
- Nijenhuis, I.A. and G.J. de Lange, Geochemical constraints on Pliocene sapropel formation in the eastern Mediterranean 163 (2000) 41
- Nikitina, D. L., J. E. Pizzuto, R. A. Schwimmer and K. W. Ramsey, An updated Holocene sea-level curve for the Delaware coast 171 (2000) 7
- Nitsche, F.O., A.P. Cunningham, R.D. Larter and K. Gohi, Geometry and development of glacial continental margin depositional systems in the Bellingshausen Sea 162 (2000) 277
- Nixon, S., see Thomson, J. 169 (2000) 21
- Nongkas, M., see McSaveney, M. J. 170 (2000) 81
- Novak, B. and G.K. Pedersen, Sedimentology, seismic facies and stratigraphy of a Holocene spit—platform complex interpreted from high-resolution shallow seismics, Lysegrund, southern Kattegat, Denmark 162 (2000) 317
- Nowaczyk, N., see Knies, J. 163 (2000) 317
- Nunn, P.D., Significance of emerged Holocene corals around Ovalau and Moturiki islands, Fiji, southwest Pacific 163 (2000) 345
- O'Connor, J., see Maia, M. 167 (2000) 61
- Ogston, A.S., see Allison, M.A. 163 (2000) 241
- Okuno, J., see Nakada, M. 167 (2000) 85
- Oldfield, F., see Robinson, S.G. 163 (2000) 77
- Oldman, J.W., see Black, K.P. 162 (1999) 121
- Ongan, D., see Çağatay, M. N. 167 (2000) 191
- Orange, D. L., see McAdoo, B. G. 169 (2000) 103
- Öztürk, H., H. Koral and E. L. Geist, Intra-basinal water movements induced by faulting: the August 17, 1999, Gölcük (İzmit Bay) earthquake ( $M_w = 7.4$ ) 170 (2000) 263
- Paetzel, M., see Brack, K. 170 (2000) 347
- Panin, N., see Winguth, C. 167 (2000) 127
- Papageorgiou, S., see Stiros, S. C. 170 (2000) 41
- Papanastassiou, D., see Cundy, A. B. 170 (2000) 3
- Park, B.-K., see Khim, B.-K. 169 (2000) 411
- Park, B.-K., see Li, B. 169 (2000) 239
- Park, C.-K., S.-J. Doh, D.-W. Suk and K.-H. Kim, Sedimentary fabric on deep-sea sediments from KODOS area in the eastern Pacific 171 (2000) 115
- Park, S.-C., H.-H. Lee, H.-S. Han, G.-H. Lee, D.-C. Kim and D.-G. Yoo, Evolution of late Quaternary mud deposits and recent sediment budget in the southeastern Yellow Sea 170 (2000) 271
- Park, Y. A., see Choi, K. S. 167 (2000) 231
- Parson, L. M., Marine Geophysics: E.J.W. Jones 167 (2000) 425
- Patchineelam, S.M., B. Kjerfve and L.R. Gardner, A preliminary sediment budget for the Winyah Bay estuary, South Carolina, USA 162 (1999) 133
- Pattiaratchi, C., see Masselink, G. 163 (2000) 257
- Paull, C. K., A. C. Neumann, B. A. am Ende, W. Ussler III and N. M. Rodriguez, Lithohierms on the Florida–Hatteras slope 166 (2000) 83
- Pavlopoulos, K., see Cundy, A. B. 170 (2000) 3
- Pecher, I. A., see Taylor, M. H. 164 (2000) 79
- Pedersen, G.K., see Novak, B. 162 (2000) 317
- Pejrup, M., see Mikkelsen, O. A. 170 (2000) 443



- Pérez, M.E., see Brüchert, V. 163 (2000) 27
- Perissoratis, C., D. J. W. Piper and V. Lykousis, Alternating marine and lacustrine sedimentation during late Quaternary in the Gulf of Corinth rift basin, central Greece 167 (2000) 391
- Perrot, K., see Maia, M. 167 (2000) 61
- Phipps Morgan, J., see Maia, M. 167 (2000) 61
- Pickrill, R.A., see Todd, B.J. 162 (1999) 165
- Piper, D. J. W., see Perissoratis, C. 167 (2000) 391
- Pirazzoli, P. A., see Stiros, S. C. 170 (2000) 41
- Pizzuto, J. E., see Nikitina, D. L. 171 (2000) 7
- Podshuveit, V., see Winguth, C. 167 (2000) 127
- Pollehne, F., see Emeis, K.-C. 167 (2000) 43
- Postma, G., see Prins, M. A. 169 (2000) 327
- Postma, G., see Prins, M. A. 169 (2000) 351
- Pottsmith, H. C., see Agrawal, Y. C. 168 (2000) 89
- Prakash Babu, C., H.-J. Brumsack and B. Schnetger, Distribution of organic carbon in surface sediments along the eastern Arabian Sea: a revisit 162 (1999) 91
- Pratson, L. F., see McAdoo, B. G. 169 (2000) 103
- Prins, M. A., G. Postma and G. J. Weltje, Controls on terrigenous sediment supply to the Arabian Sea during the late Quaternary: the Makran continental slope 169 (2000) 351
- Prins, M. A., G. Postma, J. Cleveringa, A. Cramp and N. H. Kenyon, Controls on terrigenous sediment supply to the Arabian Sea during the late Quaternary: the Indus Fan 169 (2000) 327
- Provansal, M., see Vella, C. 170 (2000) 27
- Pudsey, C. J., Sedimentation on the continental rise west of the Antarctic Peninsula over the last three glacial cycles 167 (2000) 313
- Pujol, C., see Zaragosi, S. 169 (2000) 207
- 
- Ramillien, G., see Maia, M. 167 (2000) 61
- Ramsey, K. W., see Nikitina, D. L. 171 (2000) 7
- Rasmussen, C. E., see Woodroffe, C. D. 170 (2000) 331
- Raukas, A., Rapid changes of the Estonian coast during the late glacial and Holocene 170 (2000) 169
- Reed, C., see Salaheldin, T. M. 171 (2000) 21
- Régner, M., see Auzende, J.-M. 162 (2000) 225
- Révillon, S., see Maia, M. 167 (2000) 61
- Reznikov, M., see Niemi, T.M. 162 (2000) 237
- Rise, L., see Bøe, R. 167 (2000) 147
- Robertson, A. H. F., see Kopf, A. 166 (2000) 65
- Robinson, S.G., J.T.S. Sahota and F. Oldfield, Early diagenesis in North Atlantic abyssal plain sediments characterized by rock-magnetic and geochemical indices 163 (2000) 77
- Rodrigues, A., see Dias, J. M. A. 170 (2000) 177
- Rodriguez, N. M., see Paull, C. K. 166 (2000) 83
- Rogenhagen, J. and W. Jokat, The sedimentary structure in the western Weddell Sea 168 (2000) 45
- Rohling, E.J., Paleosalinity: confidence limits and future applications 163 (2000) 1
- Rosenberg, G. D., see Ballard, R. D. 170 (2000) 253
- Rosenberger, A., see Kaul, N. 164 (2000) 37
- Rouchy, J.-M., see Morhange, C. 170 (2000) 205
- Rouse, H. L., see Goff, J. R. 170 (2000) 231
- Ruessink, B. G., I. M. J. van Enckevort, K. S. Kingston and M. A. Davidson, Analysis of observed two- and three-dimensional nearshore bar behaviour 169 (2000) 161
- Ruessink, B. G., see Kingston, K. S. 169 (2000) 137
- Ruessink, B.G. and J.H.J. Terwindt, The behaviour of nearshore bars on the time scale of years: a conceptual model 163 (2000) 289

- Rust, D. and S. Kershaw, Holocene tectonic uplift patterns in northeastern Sicily: evidence from marine notches in coastal outcrops 167 (2000) 105
- Ryan, W.B.F., see McHugh, C.M.G. 163(2000) 199
- Saarinen, T., see Kotilainen, A. T. 166 (2000) 51
- Sabetian, A., see Maia, M. 167 (2000) 61
- Sahota, J.T.S., see Robinson, S.G. 163 (2000) 77
- Sain, K., T. A. Minshull, S. C. Singh and R. W. Hobbs, Evidence for a thick free gas layer beneath the bottom simulating reflector in the Makran accretionary prism 164 (2000) 3
- Sakıncı, M., see Yaltrak, C. 167 (2000) 189
- Salaheldin, T. M., J. Imran, M. H. Chaudhry and C. Reed, Role of fine-grained sediment in turbidity current flow dynamics and resulting deposits 171 (2000) 21
- Sanderson, P.G. and I. Eliot. Compartmentalisation of beachface sediments along the southwestern coast of Australia 162 (1999) 145
- Sandler, A. and B. Herut, Composition of clays along the continental shelf off Israel: contribution of the Nile versus local sources 167 (2000) 339
- Sandwell, D., see Maia, M. 167 (2000) 61
- Sansò, P., see Mastronuzzi, G. 170 (2000) 93
- Saoutkine, A., see Bounak, S. 163 (2000) 125
- Savoye, B., see Klauke, I. 162 (2000) 405
- Schenau, S. J., C. P. Slomp and G. J. De Lange, Phosphogenesis and active phosphorite formation in sediments from the Arabian Sea oxygen minimum zone 169 (2000) 1
- Schmuker, B., The influence of shelf vicinity on the distribution of planktic foraminifera south of Puerto Rico 166 (2000) 125
- Schnetger, B., see Prakash Babu, C. 162 (1999) 91
- Schulz-Ohlberg, J., see Zeiler, M. 170 (2000) 363
- Schuur Duncan, C., J. A. Goff, J. A. Austin Jr. and C. S. Fulthorpe, Tracking the last sea-level cycle: seafloor morphology and shallow stratigraphy of the latest Quaternary New Jersey middle continental shelf 170 (2000) 395
- Schwimmer, R. A., see Nikitina, D. L. 171 (2000) 7
- Seidenkrantz, M.-S., T.J. Kouwenhoven, F.J. Jorissen, N.J. Shackleton and G.J. van der Zwaan, Benthic foraminifera as indicators of changing Mediterranean—Atlantic water exchange in the late Miocene 163 (2000) 387
- Shackleton, N.J., see Seidenkrantz, M.-S. 163 (2000) 387
- Shipp, S. S., see Bart, P. J. 166 (2000) 31
- Short, A. D., see Brander, R. W. 165 (2000) 27
- Sierro, F.J., see Dabrio, C.J. 162 (2000) 381
- Singh, S. C., see Sain, K. 164 (2000) 3
- Slomp, C. P., see Schenau, S. J. 169 (2000) 1
- Smith, D. E., see Dawson, S. 170 (2000) 69
- Smithers, S. G. and C. D. Woodroffe, Microatolls as sea-level indicators on a mid-ocean atoll 168 (2000) 61
- Smithers, S. G., see Woodroffe, C. D. 170 (2000) 331
- Sæther, O., see Lepland, A. 163 (2000) 13
- Solheim, A., see Butt, F. A. 169 (2000) 373
- Solheim, A., see Kristoffersen, Y. 165 (2000) 109
- Song, B., see Chen, Z. 162 (2000) 423
- Song, G.-S., C.-P. Ma and H.-S. Yu, Fault-controlled genesis of the Chilung Sea Valley (northern Taiwan) revealed by topographic lineaments 169 (2000) 305
- Song, S.-R., C.-H. Chen, M.-Y. Lee, T. F. Yang, Y. Iizuka and K.-Y. Wei, Newly discovered eastern dispersal of the youngest Toba Tuff 167 (2000) 303
- Sotheim, A., see Dimakis, P. 162 (2000) 303
- Spadafora, E., see Gasparotto, G. 162 (2000) 561

- Spence, G. D., see Ganguly, N. 164 (2000) 53
- St. Louis, B., see Evans, R. L. 170 (2000) 381
- Stein, R., see Knies, J. 163 (2000) 317
- Stein, R., see Boucsein, B. 162 (2000) 573
- Stewart, I. S., see Cundy, A. B. 170 (2000) 3
- Stevens, R. L., see Brack, K. 170 (2000) 347
- Stiros, S. C., J. Laborel, F. Laborel-Deguen, S. Papageorgiou, J. Evin and P. A. Pirazzoli, Seismic coastal uplift in a region of subsidence: Holocene raised shorelines of Samos Island, Aegean Sea, Greece 170 (2000) 41
- Stoffers, P., see Maia, M. 167 (2000) 61
- Storlazzi, C. D. and M. E. Field, Sediment distribution and transport along a rocky, embayed coast: Monterey Peninsula and Carmel Bay, California 170 (2000) 289
- Stow, D.A.V., see Faugères, J.-C. 162 (1999) 1
- Stow, D.A.V., see Wynn, R.B. 163 (2000) 185
- Struck, U., see Emeis, K.-C. 167 (2000) 43
- Subrahmanyam, C., see Thakur, N.K. 162 (2000) 599
- Subramanyam, A. S., see Drolia, R. K. 167 (2000) 413
- Suk, D.-W., see Park, C.-K. 171 (2000) 115
- Summa, V., see Gasparotto, G. 162 (2000) 561
- Sutherland, T.F., P.M. Lane, C.L. Amos and J. Downing, The calibration of optical backscatter sensors for suspended sediment of varying darkness levels 162 (2000) 587
- Swales, A., see Green, M.O. 163 (2000) 217
- Symonds, P., see Auzende, J.-M. 162 (2000) 225
- Tateo, F., see Gasparotto, G. 162 (2000) 561
- Taylor, J., J. A. Dowdeswell and N. H. Kenyon, Canyons and late Quaternary sedimentation on the North Norwegian margin 166 (2000) 1
- Taylor, J., J. A. Dowdeswell, N. H. Kenyon, R. J. Whittington, T. C. E. van Weering and J. Mienert, Morphology and Late Quaternary sedimentation on the North Faeroes slope and abyssal plain, North Atlantic 168 (2000) 1
- Taylor, J., see Laberg, J.S. 162 (2000) 259
- Taylor, M. H., W. P. Dillon and I. A. Pecher, Trapping and migration of methane associated with the gas hydrate stability zone at the Blake Ridge Diapir: new insights from seismic data 164 (2000) 79
- Tchapalyga, A., see Çağatay, M. N. 167 (2000) 191
- Terwindt, J.H.J., see Ruessink, B.G. 163 (2000) 289
- Thakur, N.K., T. Gangadhara Rao, R. Khanna and C. Subrahmanyam, Magnetic basement in the Bay of Bengal through Werner deconvolution 162 (2000) 599
- Thomson, J., L. Brown, S. Nixon, G. T. Cook and A. B. MacKenzie, Bioturbation and Holocene sediment accumulation fluxes in the north-east Atlantic Ocean (Benthic Boundary Layer experiment sites) 169 (2000) 21
- Thorsnes, T., see Lepland, A. 163 (2000) 13
- Tinivella, U. and F. Accaino, Compressional velocity structure and Poisson's ratio in marine sediments with gas hydrate and free gas by inversion of reflected and refracted seismic data (South Shetland Islands, Antarctica) 164 (2000) 13
- Todd, B.J., G.B.J. Fader, R.C. Courtney and R.A. Pickrill, Quaternary geology and surficial sediment processes, Browns Bank, Scotian Shelf, based on multibeam bathymetry 162 (1999) 165
- Torrente, M. M., see Milia, A. 171 (2000) 61
- Trenhaile, A. S., Modeling the development of wave-cut shore platforms 166 (2000) 163
- Trincardi, F., see Bart, P. J. 166 (2000) 31
- Ujjié, Y., Mud diapirs observed in two piston cores from the landward slope of the northern Ryukyu Trench, northwestern Pacific Ocean 163 (2000) 149



- Ungureanu, G., see Winguth, C. 167 (2000) 127
- Ussler III, W., see Paull, C. K. 166 (2000) 83
- Van de Beuque, S., see Auzende, J.-M. 162 (2000) 225
- Van der Zwaan, G.J., see Seidenkrantz, M.-S. 163 (2000) 387
- van Enckevort, I. M. J., see Kingston, K. S. 169 (2000) 137
- van Enckevort, I. M. J., see Ruessink, B. G. 169 (2000) 161
- Vanhessche, U., see Hennings, I. 169 (2000) 57
- Vanneste, M., see Bouriak, S. 163 (2000) 125
- van Weering, Tj. C. E., see Taylor, J. 168 (2000) 1
- Vasshus, S., see Bøe, R. 167 (2000) 147
- Veeh, H. H., D. C. McCorkle and D. T. Heggie, Glacial/interglacial variations of sedimentation on the West Australian continental margin: constraints from excess <sup>230</sup>Th 166 (2000) 11
- Vella, C. and M. Provansal, Relative sea-level rise and neotectonic events during the last 6500 yr on the southern eastern Rhône delta, France 170 (2000) 27
- Vernemmen, C., see Hennings, I. 169 (2000) 57
- Viana, A., see Faugères, J.-C. 162 (1999) 1
- Villinger, H., see Kaul, N. 164 (2000) 37
- Vincent, C.E., see Webb, M.P. 162 (1999) 71
- Vogt, C., see Knies, J. 163 (2000) 317
- Volkman, N., see Kopf, A. 166 (2000) 65
- Volkonskaia, A., see Woodside, J. 165 (2000) 1
- Von Stackelberg, U., see Weber, M.E. 163 (2000) 169
- Vorren, T. O., see Laberg, J. S. 171 (2000) 95
- Vorren, T.O., see Dimakis, P. 162 (2000) 303
- Vorren, T.O., see Laberg, J.S. 162 (2000) 259
- Voulgaris, G. and M. B. Collins, Sediment resuspension on beaches: response to breaking waves 167 (2000) 167
- Wang, Z., see Chen, Z. 162 (2000) 423
- Ward, G. H., see Morton, R. A. 167 (2000) 261
- Weaver, P.P.E., see Wynn, R.B. 163 (2000) 185
- Webb, M.P. and C.E. Vincent, Comparison of time-averaged acoustic backscatter concentration profile measurements with existing predictive models 162 (1999) 71
- Weber, M.E., U. von Stackelberg, V. Marchig, M. Wiedicke and B. Grupe, Variability of surface sediments in the Peru basin: dependence on water depth, productivity, bottom water flow, and seafloor topography 163 (2000) 169
- Wefer, G., see Klump, J. 169 (2000) 259
- Wei, H., see Li, G. 168 (2000) 129
- Wei, K.-Y., see Song, S.-R. 167 (2000) 303
- Weltje, G. J., see Prins, M. A. 169 (2000) 351
- Wheatcroft, R. A., see Fries, J. S. 168 (2000) 153
- White, J. D. L., see Maicher, D. 171 (2000) 75
- White, W. A., see Morton, R. A. 167 (2000) 261
- Whittington, R. J., see Taylor, J. 168 (2000) 1
- Wiedicke, M., see Daesslé, L.W. 162 (2000) 479
- Wiedicke, M., see Weber, M.E. 163 (2000) 169
- Winguth, C., H. K. Wong, N. Panin, C. Dinu, P. Georgescu, G. Ungureanu, V. V. Krugliakov and V. Podshuveit, Upper Quaternary water level history and sedimentation in the northwestern Black Sea 167 (2000) 127
- Winterhalter, B., see Kotilainen, A. T. 166 (2000) 51
- Winterhalter, B., see Kristoffersen, Y. 165 (2000) 109

- Wong, H. K., see Winguth, C. 167 (2000) 127
- Woodroffe, C. D., D. M. Kennedy, D. Hopley, C. E. Rasmussen and S. G. Smithers, Holocene reef growth in Torres Strait 170 (2000) 331
- Woodroffe, C. D., see Kennedy, D. M. 169 (2000) 287
- Woodroffe, C. D., see Smithers, S. G. 168 (2000) 61
- Woodside, J., J. Mascle, C. Huguen and A. Volkonskaia, The Rhodes Basin, a post-Miocene tectonic trough 165 (2000) 1
- Wright, C. I., W. R. Miller and J. A. G. Cooper, The late Cenozoic evolution of coastal water bodies in Northern KwaZulu-Natal, South Africa 167 (2000) 207
- Wynn, R.B., D.G. Masson, D.A.V. Stow and P.P.E. Weaver, Turbidity current sediment waves on the submarine slopes of the western Canary Islands 163 (2000) 185
- Yaltırak, C., B. Alpar, M. Sakınç and H. Yüce, Erratum to "Origin of the Strait of Çanakkale (Dardanelles): regional tectonics and the Mediterranean-Marmara incursion" [Marine Geology 164 (2000) 139-156] 167 (2000) 189
- Yang, T. F., see Song, S.-R. 167 (2000) 303
- Yon, M., see Morhange, C. 170 (2000) 205
- Yoo, D.-G., see Park, S.-C. 170 (2000) 271
- Yoon, H.-I., see Li, B. 169 (2000) 239
- Yu, H.-S., see Song, G.-S. 169 (2000) 305
- Yüce, H., see Yaltırak, C. 167 (2000) 189
- Zaragosi, S., G. A. Auffret, J.-C. Faugères, T. Garlan, C. Pujol and E. Cortijo, Physiography and recent sediment distribution of the Celtic Deep-Sea Fan, Bay of Biscay 169 (2000) 207
- Zatsepina, O. Y., see Buffett, B. A. 164 (2000) 69
- Zazo, C., see Dabrio, C.J. 162 (2000) 381
- Zeiler, M., J. Schulz-Ohlberg and K. Figge, Mobile sand deposits and shoreface sediment dynamics in the inner German Bight (North Sea) 170 (2000) 363
- Zhuang, K., see Li, G. 168 (2000) 129
- Zuleger, E., see Kopf, A. 167 (2000) 1

